May 1945 to December 1947

25X1

25X1

25X1

25X1

a. In the Chamical Plant in BEKETOVKA near STALINGRAD are two departments designated "Tackh 2" and "Tackh 207".



b. Pump installations are in operation in a workshop of department 207. There are also eight 13-foot containers with unidentified corroding acids.

- c. The production of department 2 (three workshops and one machine shop with 15 machine tools) included chloric gas.
- d. For layout sketches see Amexes 4,5 and 6)

25X1 March 1946 to May 1947



a. A seven-story building of the ammunition plant in BEKETCVKA near STALINGRAD could only be entered with a special pass. When there was an operational disorder sweet and liquorice smelling gases escaped from this building and irritated eyes as well as respiratory and digestive organs. The physical disturbances did not last very long, passing fairly quick in fresh air. The workmen employed in this building wore Soviet army gas masks.

35,0

b. Soft, white stones coming by rail were processed in this building.

The finished product was a white powder. Shipments of this product
left in tarred cardboard barrels 30 inches high and 16 inches in diameter.

c. In addition to some new buildings, mechanical workshops, and storage depots, source remembers an installation of four workshops about 160 x 65 feet. From time to time defective containers 40 inches high and 30 inches in diameter and provided with a number of graphite electrodes were sent from these workshops to the welding shop for repair.

Ly

d. A number of other buildings seemed to be used for preparing and filling antitank and other artillery ammunition.

25X1

e. ______ the work force numbered 500 (20 percent women) per shift in a three-shift schedule, and 200 Fis working only an eight-hour shift.


f. For Layout sketches see Annexes 7, 8 and 9.

25X1 March 1946 to January 1948



a. A chemical combine in the vicinity of the Stalgres Power Plant south of STALMGRAD consisted of six workshop buildings at the time of observation. Three of these buildings were new structures with the interior not completed. In one of these workshops several boilers about 16½ feet high and 10 feet in diameter were being established and a ramified system of pipes was being laid. In another workshop building two furnaces of undetermined use were being set up.

- b. The following description of the plant installations was given:
- (1) In a building of about 260 x 200 feet were two mills and two calcining furnaces as well as containers and pipe lines. A white greyish kind of stone was ground in the mills. The finished product has a yellowish and bluish color. This product as well as a number of other products of this plant were put into iron drums, steel cylinders, demijohns and boxes. The work force numbered 300 workers, 20 percent of whom were women and 10 percent PMs. Nork was done in three shifts.



25X1₂

25X1

10,000 x 3,000 feet including the adjacent power plant. According to 1 \sim source's estimate the work force numbered about 3,000 men.

b. —the phosphor and chemical warfare agent departments.

to one department where these materials were pulverized and made into a paste to which chemicals were added. This mixture, designated "phosphor", was sent through underground pipes to another workshop for further processing.

25X1

May 1945 to August 1948

- a. The Plant No 91, like woodworking department No 20, operates for a large Chemical Combine in BEKETOVKA. The plant is in the vicinity of the Volga River at the STALINGRAD-TIKHOKETSK railroad line.
- to b. There was a special department in the Plant No 91, producing chloride of lime and poison gases. In addition to an unknown number of Soviets, about 120 PWs were employed.
- c. One department had about 100 boilers, 13 feet in diameter, used for some There were frequent boiler explosions with ratal casualties.
 - The great salt consumption was noteworthy. Salt shipments came by

	,	Approved For Release 2004/07/29 : CIA-RDP82-00457R004460800004-0 _{25X1}
*		CENTRAL INTELLIGENCE AGENCY
		water on the Volga River from ASTRAKHAN (46°21N/48°03'E) and were unloaded by conveyor belts.
<	Z	e. the total work force of Plant No 91 at about 1,000 Soviets and 600 PWs.
ci,	77	f. Some of the chemical apparatuses were also of German make. /
5X1		g. Department No 20 had a sawmill, a carpentry and a smithy. Mork force: 70 to 100 Soviets and as many PNs. This department made wood work for Plant No 91.
5X1		February to August 1948
1;	ĩ.	A. The Chemical Plant in BEKETOVKA south of STALISGRAD covers about $5,000 \times 2,600$ feet.
	Jara	b. Power was supplied from adjacent STALINGRAD Power Plant. The chemical plant had its own steam boiler installation, fired with coal. Spur tracks existed.
\.	W.	c. The plant was subdivided into two main sections: One for the chemical production proper and another one where mostly old type artillery and mortar shells were disarmed, emptied, refurbished and newly filled.
25X1	\bigcirc	d. coal, limestone and large amounts of salt among the raw material shipments coming to the chemical section. Some of these shipments came by rail, but mostly by water on Volga River barges.
25X1		e. work in the calorine department:
& Mary one	· Day	Limestone and coal were mixed in a 3:1 ratio in a "stone mill" and pulverized. The mixture was then burned in a lime kiln installation which was always in operation. The kilns were about 40 feet high and 16 feet in diameter. The burned material was sent by a piping system through the entire department while passing through different production stages. Some of the apparatuses used were supplied with seam. The final product, chloride of lime (designated chloric powder in this department), was packed into cardboard barrels.
Q		f. Phosphoric acid was produced in another department. A thick paste coming in tank cars with the inscription "AMMENDERF" was first unloaded into tin containers. The paste was heated in these containers and simultaneously watered. The contents of the paste precipitated into the liquid which was then conducted into earthenware containers of about 1 cubic meter volumetric capacity. It had a brown-yellow color. Compressed air was added during the production process while the escaping steam was conducted into a distillation installation. Samples of the product were continuously texted in the laboratory.
reg	Provide	g. Chloric gas was put into steel cylinders, phosphoric acid into demijohns, and shipped. h. A kind of "acid" smelling like bitter almonds was also produced in
	S. C.	the plant. It crystallized if exposed to the air and it was very soluble in water.
	V)	

Approved For Release 2004/07/29: CIA-RDP82-00457R004250600004-0

fundaments. Walled channels were cemented with acid-proof putty.

i. The plant had a cooling installation operated on the ammonia compression system.

25X1 May 1945 to August 1948

17. a. The Chemical Plant No 91 in BEKETOVKA, still under construction, covered about 1 x 1 square miles including its cld production site.

b. The chlorine department consisted of the following buildings: Several machine shops, a warehouse, the chlorine production department itself consisting of a large building with a silo-shaped tower and one furnace (in operation), a building designated by source "salt production building", and a recently built house.

c. Poison gases were produced in one department. Yellow, sulphur-smelling fumes developed during production.

d. There was also an installation for filling gas shells.

e. A new installation was under construction about 1,600 feet south of the main plant. It will be a hydrogenation plant for gasoline synthesis and a carbide production plant. Operation had not started in February 1949.

f. The labor force working in three shifts numbered about 3,000 civilians, 30 percent of them women. Four to five hundred PWs did reconstruction work. Workmen wore protective clothing and gas masks in the chlorine and salt department, as well as in the shell filling department and poison gas department.

g. The conscripted Professor Dr. von Brock, formerly of the I. G. Farben Plant, supervised the construction of the new installation.

5 h. The entire plant area was strictly guarded and the plant departments are strictly separated.

i. The plant with the cover name "margarine" had a number of large and middle-sized workshop buildings and served for the storage of dismantled German plant installations. All the installations of the dismantled SAALFELD Plant of the Goldschmidt Corporation were moved, in several shipments, to this place by the fall of 1946.

j. For layout sketch see Annex 15.

25X1 July and August 1948

25X1

18. a. The Chemical Plant in BEKETOVKA is apparently an old enterprise but a large number of new insuallations have been put into operation.

the chloride of lime department had an about 80-foot high tower and an installation equipped with pumps and earthenware containers which was a filtering plant according to information from indigenous personnel. Most apparatuses of the department were of German make and came from

a finm in SAALFELD. This department was not yet in operation.

there was an installation for filling oxygen, an underground tunker where shells were cleaned and greased as well as administration warehouse buildings.

incoming shipments: Large amounts of d. salt; numerous boxes containing steel clinders (these snipments had to be taken immediately from airplanes landing on the GUMRAK Airfield) and allegedly phosphorus arriving in German tank cars.

For layout sketch see Annex 16.

25X1 May 1946 to August 1948

- a. Among chemicals processed in the Chemical Plant No 91 in BEKETOVKA source especially noted a liquid with a pungent smell coming into the plant in earthenware containers.
 - b. Soap was produced in a secondary department of the plant.
 - c. Tubs with bottle-shaped electrodes suspended on wires were in an electrolytic department. Power was supplied through a transformer sta-
 - A rotable liquid was used in one department. It apparently consisted of an ether-alcohol mixture.

25X1 Comment:

Location:

BEKETOVKA (48°34'N/49°28'E) is located 10½ miles southeast of STALINGRAD. The area of the Chemical Plant starts in the town center and extends between the STALINGRAD-KRASNOARMEYSK (48°31N/44°32'E) railroad line and the Volga River for about 1 mile to the southeast. The STALINGRAD largescale power station "Stalgres" is opposite the northwestern corner of the chemical plant, separated from the latter by the railroad line.

Plant history:

The Chemical Plant No 91 in BEKETOVKA existed before the war. The most important installations were evacuated during the war, but were returned and re-installed shortly after hostilities ended in the STALINGRAD region. The buildings of the plant were scarcely damaged in the war while the adjacent power plant apparently had to be completely reconstructed. However, the largest and most important part of the plant installations was not set up until after the war and then by using dismantled German apparatuses.

Plant installations:

This report does not furnish a distinct picture on the plant installations or production. However, by comparing the different observations, conclusions could be drawn which may give a correct conjecture of the main points of the BEKETOVKA production program. Although the plant consists of a number of very different production branches, chlorine alkali electrolysis must be considered the basis of the entire enterprise. This electrolysis serves principally for the production of chloric gas which is further processed in a number of installations. Many by-products are produced by the electrolysis itself as well as in the subsequent operations. The D.C. current of low voltage and high amperage required for the electrolysis

25X1

Approved For Release 2004/07/29 : CIA-RDP82-00457 R02/5000600004-0	25X1

is supplied by the Stalgres Power Plant through a transformer and rectifier station.

It is very probable that sodium sulphite is also produced electrolytically in the same plant.

Another large installation of the plant is the chloride of lime department with its lime kiln batteries and extensive apparatuses.

Prewar production was the production of ultramarine, an inorganic blue pigment, widely used for manufacturing printing and painting colors for dyeing paper material, building materials, linoleum, etc. The equipment for this production includes crushers, mills, kilns and various appliances for washing and dressing the material.

Although no details are available, it is certain that sulphuric acid is produced in BEKETOVKA. An installation for the production of hydrochloric acid may also exist as a side line of the salt-processing department.

The repeatedly reported extensive installations with containers, pipe system and other equipment, as well as the production of cherical variare agents observed by many sources, are certain indications of the existence of a large-scale production of industrial and war gases as well as other chemical warfare agents. The cooling plant operated by the ammonia compression method is doubtlessly part of this production setup.

It is also certain that the plant has verious apparatuses for the treatment or production of phosphorus and phosphoric acid.

In addition to these departments there certainly are many other plant installations which are not recorded and where other chemical agents are produced.

Independent installations within the chemical plant are those workshops where old-type mortar and artillery ammunition as well as aircraft bombs are disarmed, cleaned and refurbished to be refilled with chemical charges and igniting charges and partly with propellent charges also.

Incoming shipments of raw materials arrive by water and are unloaded at plant-owned harbor installations. Pransportation is continued by rail on a ramified network of sidings and spur tracks of the plant. Transportation within the plant is done on standard gauge railroad cars and unloading by conveyor belts and elevators.

Production:

The production of chlorine is determined. The shape of the cells used for the electrolysis is shown in a schematic sketch on Annex 9. The interior surface of the iron container itself is the cathode while the electrodes of ferrous oxide or a similar substance are the anodes. It was erroneously reported in para 4 that the electrodes consisted of graphite. The cells are filled with a salt solution. During the electrolytic cleavage chlorine and oxygen develop as anode gas while the cathode residue contains sodium and potassium hydroxide (caustic soda and caustic potash) and magnesium compounds. The gases are separated and compressed and put into steel cylinders or - mainly chloric gas - processed into other products.

The chloric gas is used especially for the production of chloride of lime.

Crushed limestone is burned with coke in one or two cupola furnaces

which are in continuous operation. Air is artificially supplied. The

limestone is then slaked in drums with steam and water and later is chlori
nated in a number of large containers. During a long production process



25X1

CENTRAL INTELLIGENCE AGENCY

the material is dried in containers lined with heating coils and crushed in edge mills. These mills consist of a spherical tub, open on top, in which two vertical millstones rotate around an axis and crush the brittle material.

Chloric gas is certainly also used in BEKETOVKA for the production of phosgene or diphosgene ("Green Cross"). This may not only be inferred from the rotten fruit odor but also by the fact that ethyl alcohol, which is potable in diluted form, is being processed. This product is an important basic material for the production of "Green Cross" or "Perstoff". Probably chlor acetone and chlor acetophenone are also produced by using chloric gas. These products have a strikingly pungent rodor. The first is used as lung-poisoning gas or an irritant and the second predominantly as vesicant.

By allowing chloride of lime to react on picric acid, chloropicrin is produced. It has long been used in the Soviet Union on a large scale as a filling for shells with 50 percent sulphuric chloride. There is no doubt that sulphuryl chloride is manufacture in BEKETOVKA.

It is possible that perchlormethylmercaptan 'SCC14), the equivalent of the French "clairsite", is also produced in the plant. It is an irritant gas and has a repulsive odor. It is produced by allowing carbon bisulphide to react on chloride. The BEKSTOVKA Plant produced carbon bisulphide in prewar time. The respective production installations have been enlarged by using dismantled German apparatuses.

There is also evidence that mustard gas or yperite is produced. It is a gas smelling of leek, horse-radish or mustard. The required basic materials are available in the plant. This production started before the war and very recent reports confirm this production to have been resumed. The production of "Adamsit" (chlorvinyldichlorarsin) is not quite determined. There are some indications of this, however, such as the odor of flowers, the processing of hydrochloric acid while using refrigerating methods, and the oily consistency of the chemical warfare agent.

Wartime information as well as very recent information on the alleged production of "Clark I and II" (blue cross gas (sternutators)) is not confirmed. The procedures and production processes used in BEKETOVKA are completely different from those used in blue-cross gas production. This production would also be extremely complicated. It must be assumed that such chemical warfare agents will more likely be produced in plants where basic materials required for blue-cross gas production are processed or manufactured.

ad wound

The production of xylic bromide is possible but not shown. This is a powerful lilac-smelling irritant. The only indication for such a production would be the processing of tar. Tar is not used in the production of xylic bromide but the most important primary product of xylic bromide is xylene (in addition to bromine), which can be mistaken for tar due to its viscous consistency and its color in a raw condition.

There is no factual proof for the production of mosphorus in BEKETOVKA as indicated in some reports. It is much more probable that an intermediate product originating from other factories is shipped to BEKETOVKA as raw phosphorus mass in tank cars and is redistilled into pure white phosphorus in speciallinstal ations. It may be possible that the primary phosphorus production will be started to simplify the production process.

It is very probable that calcined soda is produced as a by-product during the salt analysis and is preferably used for the ultramarine production.

25)//

Approved For Re	lease 2004/0	7/29 : CIA	-RDP82-0	457750014400	
					25X1

In addition to soda, sodium sulphate and large quantities of charcoal, and especially kaolin, sulphur and quartz are processed in the ultramarine department. These materials are first crushed in crushing plants and pulverized in mills. They are then burned in 20-foot high kilns. Flintsiones containing almost 100 percent silicic acid are used as quartz and also as flints, according to one source. The frequently stated sulphuric smell in the plant area may have come from the ultramarine department or from a plant where carbon bistlphide is produced by burning elementary sulphur and conducting the gases over glowing charcoal.

It is very probable that picric acid and phosphoric acid are also produced in the plant.

The above mentioned products represent the main production of the BEKETOVKA Chemical Plant. Various compounds are produced as by-products. They are processed on the spot or are sent to other plants for processing. The production of mashing agents may be given as an example. Caustic alkaliproduced during the salt electrolysis as well as soda are processed as basic materials for the production of washing agents.

The work in the ammunition department consists mainly in filling shells and aircraft bombs with phosphorus and sulphur-containing incendiary charges as well as mortar shells with phosphorus-containing propellent charges.

It appears that the plant will be considerably enlarged. The reported establishment of a calcium carbide production department and a gasoline synthesis south of the plant is a very characteristic detail. Acetylene alone, which is produced from calcium carbide, can yield various chemical warfare agents, but many other chemical products also. An important factor for the further development of the plant is the supply and present storage of apparatuses of German make in the "margarine subsidiary plant. Although slightly erroneous, the statements leave no doubt that these installations came from the plant of the T.H.Goldsch idt Corporation in ALLENDORF, Salle District, in Thuringia. The production program of this plant was for the following chemicals: caustic potash, caustic soda, liquid chloric gas, chloride of lime, chlorinated rubber, sulphur chloride, ferric chloride, calcined soda, soda cristals, sodium compounds, sulphuryl chloride, carbon tetrachloride and compressed hydrogen.

There is no doubt that these dismantled German installations will be put into operation in BEKETOVKA as fast as possible. The urgency is indicated by the enlistment of the shomist; Dr. von BOCK, formerly employed in the AMM NDORF Plant, who is to supervise the building operations. The information is not sufficient for a capacity estimate of the various productions. Not even the proportionate sequence of products can be indicated. It is dertain that considerable amounts of chloric gas and chloride of lime are being produced. The monthly output of phosphoric acid may be about 30 tons, the monthly output of yellow phosphorus about 60 tons.

5. Raw materials:

Little is known on the origin of the raw materials processed in BEKETOVKA. Raw material shipments can come from remote parts of the country due to the favorable traffic position of the plant. There are no raw material sources in the nearby surroundings except salt. The salt produced in the nearby Elton and Baskunchak Lakes consists of sodium and potassium chlorides and sulphates and magnesium compounts. Salt shipments go by rail to the harbor of VLADIMIROVKA (48°18'N 45°10'E) and then by Volga River barges to BEKETOVKA. The distance from the Elton Lake to VLADIMIROVKA is 100 miles, from the VERKHNI-BASKUNCHAK (48°14'N/46°44'E) railroad station to VLADIMIROVKA 37 miles. It is known that the salt production

What saw malerials & make these products
25X1

25X1 Approved For Release 2004/07/29 : CIA-RDP82-00457R0044006000053301

CENTRAL INTELLIGENCE AGENCY

at the Baskunchak Lake was recently pushed due to the BEKETOVKA Plant expansion.

6. The indications of the work force of the chemical plant vary considerably. It can be estimated to be at least 3,000. At present about \(\Delta \) percent of the work force may be women.

The existing significance of the Chemical Plant No 91 in BEKETOVKA will increase considerably as soon as the expansion projects are realized. Vulnerable installations of the plant are the chloric alkali electrolysis, the gas-processing departments and especially the power plant. A lasting breakdown of the power plant would completely paralyze the operation of the chemical departments.

25X1			
,			
			-

Chemical Plant in BEKETOVKA (See Asnex,1, para 4)

Legend to Annex:

- 1 Guard house
- 2 Messhall
- 3 Workshop for dressing ammunition (260 x 65 x 30 feet)
- 4 Depot of building materials
- 5 "arehouse
- 6 Latheshops (probably for tooling shells)
- 7 Four workshop buildings (can only be entered with special pass, entrance to PWs prohibited)
- 8 New building (330 x 65 x 40 feet)
- 9 Latheshop and milling shop (330 x 65 x 40 feet), entrance prohibited to PWs
- Mechanical workshop (330 x 65 x 40 feet), production of bolics 300 mm long and 30 mm in diameter.
- ll Packing material for chloride of lime
- 12 Probably production of chloride of lime
- 13 Conveyor belt
- 14 Storage sheds for chloride of lime (330 x 30 x 15feet) with loading ramp
- New buildings (excavated fundaments 120 x 30 feet, use unknown)
- 16 Tar stored in wooden sheds (13 x 20 x 13 feet)
- 17 Administration building (stone building 160 x 16 x 13 feet)
- 18 Living quarters of guards.

	25X1
Special	

Plant No 91 in BEKETOVKA (See Annex 1, para 12)

Legend to Annex:

~	11	1 77
1	MGS	shall

- 2 Gas tank
- 3 Department for mustard gas production (department 1)
- 4 Processing of phosphorus and ammunition (department 3)
- 5 and 6 Production of acids
- 7 Processing of salt
- g Depot of gas bottles
- 9 Filling of gas bottles
- 10 Chemical workshop, production unknown
- 11 Chlorine production
- 12 Workshop, production unknown
- 13 Power station
- 14 Department 4a, production unknown
- 15 Production of electrical instruments
- 16 Dressing of shells
- 17 Workshop, production unknown
- 18 Living quarters of guards
- 19 Processing of phosphorus and annunition (department 3a)
- 20 Salt depot
- 21 Production of barrels for chloride of lime (department 13)
- 22 Department 11, burning of sulphur
- 23 Department 5, processing of chlorine
- 24 Department 9, unknown production
- 25 Depot
- 26 and 27 Workshops, production unknown
- 28 Department 22, production unknown
- 29 Searchlight installation for department 22.

Approved For Release 2004/07/29: CIA-RDP82-00457R0044006000045X1

25X1 (2) production in smother building, about 330 x 200 feet. The following materials were processed:

Six 20-ton carloads of charcoal daily as well as sulphur packed in boxes and an unidentified material also packed in boxes. Source estimated the total work force at 300 men and 300 women working in three smifts.

(3) In two other departments shells were finished, examined with test instruments and apparently also filled. Finishing of the ammunition was done by about 400 workers, 30 percent women and 15 percent PMs. "bout 300 workers, about 20 percent women and 20 percent PMs, were employed in the testing and filling department.

Up to November 1947

- a. Two or three daily 20-ton carloads of artillery shells (105 and 172mm caliber) came into some departments of the Chemical and Ammunition Flant south of BEKETOVKA near STALINGRAD for preparatory treatment (usrusting and oiling). Source did not know the further treatment of this ammunition. It was packed in homes which were piled in a depot.
- b. In one section of the chemical plant proper, white, grey, and blackspotted stoned were broken, crished in stone mills and mixed with a
 powdery material. In the vicinity of the plant these raw materials
 were transferred from Volga river barges into 20-ton railroad cars and
 then shipped by rail to the plant.
 - (1) The stones were crushed to about walnut size, 25 kg of coke was added to 100 kg of stones, and this mixture burnt in two furnaces about 20 to 25 feet high and 13 to 16 feet in diameter. Only one furnace seemed to be in operation at a time. The burnt material dropped into 10 reservoirs each about 33 feet long, underneath the furnaces. This material was then put into tarred cardboard containers 30 inches high and about 12 inches in diameter. The finished product looked like white powder. The workmen were old army gas masks while the PWs protected nose and ears by cotton pads.
 - c. There were also an administration building, several wooden cantonment buildings of undetermined use, storage depots for charcoal and flowers of sulphur as well as a stone building where oxygen bottles were filled.
 - d. South of the chemical plant is an enterprise designated "margarine" plant with several workshop buildings. /Large amounts of German and Soviet aircraft bombs were stored in some of these buildings. In other workshops source observed apparatuses coming from the Chemical Plant in AMMENDORF (Saxony) (presumably AMMENDORF M 52/D 92) and the I.G. Farben Plant (clectrical machinery). German instruments and measuring instruments of the Firm Hartmann & Braun in FRANKFURT/Main (1 51/M 67) were stored in other buildings.

the total work force to be 800 workers per smift, 25X1 + about 20 percent PNs.

f. For layout sketch see Annex 10.

.

1945 to 1947

- a. In an installation of the Chemical and Ammunition Plant in BEKETOVKA not far from the STALINGRAD Power Plant, chloride of lime and "sulphur and tar" (according to designation of source) is produced. An iron foundry is in the vicinity of this installation. In some warehouses and in the open 105mm shells as well as Soviet and German 250 kg bombs were stored.
- b. The manufacturing of ammunition itself was done in a special department where PWs inserted fuges in shells and shells were lacquered, greased and packed in boxes. Two 105 mm shells were packed in one box.

Approved For Release 2004024 9 : CIA-RDP82-00457R00440060000425X1

S

12 T

10

Company

of the plant area to the main railroad

CENTRAL INTELLIGENCE AGENCY

25X1	c. Spur tracks go from all parts

25X1

25X1

November 1947 to June 1948

E. a. All kinds of chemical warfare agents were produced in one "tackh" of the plant in BEKETOVKA near STALINGRAD. The chemicals used in the production process had a strong smell of mustard and flowers. This odor also filled the air around the plant. Protective clothing and rubber gloves did not adequately protect the akin. The transportation of a chlorine mixture stored in large amounts in silos was especially dangerous.

Protective masks could not prevent inflammation of the eyes. The workers employed in this department got special food.

b. The "chemical warfare agents" were filled into steel cylinders. PWs loaded these cylinders into special railroad cars.

25X1 \c. Despite milk allocations and good food many PWs became sick due to skin and eye affections.

July 1944 to July 1948

a. In an installation of the Chemical Plant No 9. in BEKETCYKA southeast of STALINGRAD, a mixture of limestone and coke (ratio 3:1) was burnt in three furnaces 30 to 45 feet high and about 20 feet in diameter. This material was previously crushed in the mills. The burned material was carried by screw conveyors to the 9th floor of the building where it went into two large wooden troughs. From there it descended from story to story passing through a series of processing stages.

A biting odor of chlorine was everywhere. The material was crushed by specially arranged millstones on the 8th floor. An installation of drying containers heated by a steem pipe system was on the 7th floor. The produced chloride of lime was put into tarred cardboard barrels.

- b. At the time of observation 300 to 400 cardboard barrels were filled per shift.
- c. Fellow PWs said that a liquid of brown-yellow color was put into steel cylinders in another building. An acid unidentified by source was also produced in this building.
- d. Large amounts of salt were processed in a new worksnop building. The salt arrived by water and was moved to the plant on underground conveyor belts.
- e. Machines and boiler-shaped containers were being installed in another the new workshop building. At the western side and outside of this building were seven wooden tubs, 16 to 20 feet high and 16 to 20 feet in diameter, the contents of which source designated as "hydrochloric acid".

25X1

- f. The fenced-in department No 19 is in the northern section of the plant. A pungent almond-like smell novered in the air near this place.
 - g. Various warehouses and workshop buildings inside and outside the plant area could not accurately be described. One of these buildings was a sodarfactory. A plastic pipe system was in another building.

25X1 h. For layout sketches see Annex 11.

1945 to June 1948


- 10. a. The Chemical and Ammunition Plant, separated from the Stalgres Power Plant only by a double-track railroad line, is south of STALL.GRAD, about 300 feet from the Volga River bank.
 - b. Old mortar and artillery shells were disammed and emptied in the ammunition department. The shells were then protected against corrosion by a paraffin coating. These projectiles were later poliched on lathes and at least in some departments were filled with a phosphorous substance by means of special weighing and filling apparatuses. The projectiles were also provided with new fuses and the mortar ammunition was loaded with new propellent charges. Source saw mostly 76.2 mm and 128 mm mortar ammunition. However, there were also projectiles with smaller caliber.
- c. Chlorine was processed in a department designated "V". Sulphur and phosphor was processed in the department XI.
 - d. Chloride of lime was also produced from chlorine. Sulphur and phosphor were ground in mills and at least part of this material was further processed in the plant.
- e. Large earthenware bottles, similar to acid containers, were used for the transportation of some chemicals.
- 25X1 The PWs believed that chemical warfare agents, at least chemical defense agents, were produced in this plant.

May 1945 to July 1948 25X1 11. a. the chemical plant south of STALINGRAD covered an area of about 3,300 x 1,600 feet, and its work force numbered 1,500 to 2,000 civilians and 300 to 400 PWs working in three shifts. 25X1 the entire plant has underground installations. c. Much salt and soda were processed in the plant. Daily shipments of large quantities of these products were unloaded and stored at dumps. An odor as of rotten apples or somewhat sweetish smell as of violets spread over the whole area. cigarettes did not have a teste after having breathed this smell. All workmen work with gas masks but still look sick. On entering, the workmen have to leave behind cigarettes, tobacco and matches

25X1 February 1947 to August 1948

12. a. The Chemical Plant to 91 in BEKATOVKA near STALINGRAD is subdivided into about 29 different departments. According to a rough estimate, the work force numbered about 1,500 in each of the three shifts.


A sean of



CONTROLLED DISTRIBUTION

25X1 Annex 2

BEKETOVKA near STALINGRAD Chemical and Ammunition Plant in




(see Annex 1, par. 1)

Return to CIA Library

- "Stalgres" Power Plant Workshop building
- Chemical Combine No. 91
 - Department I,
 - production unknown
 - Department VIII, production unknown
 - 3a Clorine factory

 - de Administration building
 - Electromotor department
 - 7 Chemical production
 - Station of the fire
 - Production or repair of
- Shoe factory (probably
- - Administration




25X1 Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0 AL INTELLIBENCE AGENCY 25X1 CONTROLLED DISTRIBUTION Annex 4 (see Annex 1, par. 3) Area around the BEKETOVKA BEKETOVKA sland to TIKHORETSH Legendi Power Plant with long distance heating installation Chemical Plant, department 2, production of chlorine Department 9 (production of electric switchboards) "Volga" timber yard with pier Lime works Production of slag concrete Department 207

CONTRODIBATE OF TRAINING 100 4/07/29 : CIA-RDP82-00457R004400600004-0

25X1

(see Annex 1, par. 3)



Legend:

- Depot of building materials and machine shop Probably production of chlorine Probably depot of chloride of lime Production unknown Pump station


Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0 25X1 CONTROLLED DISTRIBUTION Annex 6

CENTRAL INTELLIGENCE AGENCY

25X1

Plant Department 207 in BEKETOVKA

(see Annex 1, par. 3)




Legend:

- Acid containers (iron), each 13 feet high Smoke stack, about 330 feet high Workshop building

- Administration building Use unknown

INTELLIGENCE AGENCY to sea

Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0




CONTROLLED DISTRIBUTION : CIA-RDP82-00457R004260600004-0 "margarine" Plant in Annex 1, par. 6) airfield 710812 Ó Legend: BEKETOVKA Chemical Plant
1 "Stalgress" Power Plant Messhall New building New building (department 4)
Dressing of ammunition (department 3a) (260x65x16 feet)
Entrance prohibited to PWs. Two to three 20-ton carloads were
delivered daily from the department 11a. Each car contained
about 100 filled boxes measuring 28x10x6 inches. Oxygen filling station Chlorine department (department 5) Stone mill Charcoal depot
Sulphur depot
Dressing of shells (department lla, 500x100x16 feet) 11 12 Technical office "Margarine" Plant 25X1

CENT RAL INTELLIGENCE

Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0to scale

ASENCY



proved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0 25X1 25X1 Annex 8 CONTROLLED DISTRIBUTION Legend: See report


Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0

CONTROLLED DISTRIBUTION


<u>Annex 9</u>
25X1

Round Containers with Graphite Electrodes for Electrolysis

(see Annex 1, par. 4)



round tank



CONTROLLED DISTRIBUTION Annex 15 25X1 Chemical Plant No. 91 and "Stalgres " Power Plant (see Annex 1, par. 17) 5000 108/2 2 3 4 5 8 6 10 710819 wooden fence Legend: A Chemical Plant No. 91 machine show bepot (stone building) Processing of salt Workshop building (machine shop) New building New outlaing
Depot (stone building)
Troduction of chlorine and
of chloride of line (workshop with
sito-shaped tower, in operation
since ten years)
Filling of gas shells
Production of poison gas
Administration building
The continuous building New workshop building for calcium and carbide production New workshop building for gasoline synthesis "Stalgres " Fower Plant 1 Two-story administration building Garages

Wain building (three-story structure, 260x100 feet)

wooden cooling towers (130 feet high)

Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0 25X1 CONTROLLED DISTRIBUTION Annex 16 Chemical Plant No. 91 in BEKETOVKA (see Annex 1, par. 18) RR station of BEKETOVKA fence Legend: 1 Repair shop for gas bettles
 (brick smokestack) 3 Building with containers, production unknown Underground ammunition dump Oxygen installation Filter installation with five ventilation tubes (descration) in the roofing Underground conveyor belt. Filter installation, 100x05x50 feet, with lipings, punch and earthenware containers (diameter 5 feet and about 6 feet high) ∢ Production of chloride of lime 10 (brick smokestack) 8 O Narehouses (100x50 feet)
Power plant ("Stalgres")
Old administration building, weeden ۰ 0 structure (32x27 feet)
Siding for phosphorus tank cars
Administration building with depot Q. 12 11 Off-limit department with various workshop buildings and smokestacks a Garage (200x50 feet) b Plumbery (200x50 feet) c Two four-story residential buildings 7108/9 depot dismantled machines INTELLIGENCE PEENCY

not to suite

\$@COV]YEV

PELKHI

Legend:

Approved For Release 2004/07/29 : CIA-RDP82-00457R004400600004-0